

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	158	398/197.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/11/12 19:45
L2	291	((avalan\$4 adj photo) "apd") and (signal adj2 strength)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/11/12 19:48
L3	0	2 and 1	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/11/12 19:48
S1	2199	((avalan\$4 adj photo) "apd") and temperature	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/21 15:11
S2	325	((avalan\$4 adj photo) "apd") and temperature and (voltage near1 bias)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/16 07:46
S3	1	"6587235".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/25 17:58
S4	0	(share adj risk adj link adj group)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/25 17:59
S5	1	(share near2 link adj group)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/25 18:10
S6	98	identifier and (shar\$3 near1 protection)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/25 18:11
S7	20	identifier and (shar\$3 near1 protection) same link\$1	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/25 18:22
S8	27	(identifier same link\$1) and (shar\$3 near1 protection)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/25 18:23
S9	19	S8 not S7	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/25 18:22
S10	5	(identifier near2 link\$1) and (shar\$3 near1 protection)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/25 18:23
S11	2	"6008916".pn. "6204959".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/28 17:20
S12	504	((avalan\$4 adj photo) "apd") and current and (voltage near1 bias)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/17 13:50

EAST Search History

S13	328	((avalan\$4 adj photo) "apd") and current and (voltage near1 bias) and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/16 08:39
S14	111	((avalan\$4 adj photo) "apd") and current and (voltage near1 bias) and receiver and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/16 08:41
S15	138	((avalan\$4 adj photo) "apd") and (voltage near1 bias) and receiver and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/16 08:40
S16	27	S15 not S13	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/16 08:40
S17	643	((avalan\$4 adj photo) "apd") and receiver and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/19 13:58
S18	532	S17 not S13	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/16 08:41
S19	165	S18 and "398"/\$.cccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/16 08:41
S20	197	((avalan\$4 adj photo) "apd") and attenuat\$3 and receiver and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/16 10:09
S21	0	((avalan\$4 adj photo) "apd") and (attenuat\$3 near2 enable\$4) and receiver and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/16 10:10
S22	0	((avalan\$4 adj photo) "apd") and (attenuat\$3 near2 disable) and receiver and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/17 17:46
S23	106	((avalan\$4 adj photo) "apd") and attenuat\$3 and temperat\$3 and receiver and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/16 10:15
S24	31	((avalan\$4 adj photo) "apd") and attenuat\$3 and temperat\$3 and calibrat\$3 and receiver and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/16 10:16
S25	0	((detector near1 photo) "apd") and (attenuat\$3 near2 disable) and receiver and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/16 10:33
S26	25	((detector) "apd") and (attenuat\$3 near2 disable) and receiver and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/16 10:35
S27	0	((photo) "apd") and (attenuat\$3 near2 disable) and receiver and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/16 10:36

EAST Search History

S28	0	(photodiode "apd") and (attenuat\$3 near2 disable) and receiver and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/16 10:36
S29	6	(photodiode "apd") and (attenuat\$3 near2 (disable enable)) and receiver and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/16 10:36
S30	1	10/045661	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/17 13:34
S31	1	"6504634".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/16 12:12
S32	1	"5809221"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/16 13:29
S33	1	"6055490".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/17 13:35
S34	338	((avalan\$4 adj photo) "apd") and (control near2 voltage)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/17 22:30
S35	19	((avalan\$4 adj photo) "apd") and (control near2 high adj voltage)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/17 13:51
S36	0	((avalan\$4 adj photo) "apd") and (hight adj voltage adj control)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/17 13:53
S37	155	((avalan\$4 adj photo) "apd") and (voltage adj control)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/17 14:52
S38	174	((avalan\$4 adj photo) "apd") and (temperature adj sensor)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/17 14:53
S39	26	((avalan\$4 adj photo) "apd") same (temperature adj sensor)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/17 14:55
S40	21	((avalan\$4 adj photo) "apd") same alignment and receiver and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/17 17:47
S41	77	((avalan\$4 adj photo) "apd") same align\$5 and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/17 17:50
S42	52	((avalan\$4 adj photo) "apd") with mov\$5 and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/17 20:16

EAST Search History

S43	1	"6031219".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/17 20:17
S44	3	"10045661"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/17 22:02
S45	0	"6222660".pn."	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/17 22:02
S46	1	"6222660".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/17 22:02
S47	8	((avalan\$4 adj photo) "apd") and (light adj valve adj "lcd")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/11/12 19:47
S48	8	((avalan\$4 adj photo) "apd") and attenuat\$3 and (light adj valve adj "lcd")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/17 22:34
S49	1	((avalan\$4 adj photo) "apd") and attenuat\$3 with (light adj valve adj "lcd")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/17 22:34
S50	1	attenuat\$3 with (light adj valve adj "lcd")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/17 22:35
S51	94	attenuat\$3 with (light adj valve)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/17 22:36
S52	33	attenuat\$3 near2 (light adj valve)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/17 22:37
S53	1	attenuat\$3 near2 (photogrey)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/17 22:38
S54	1	attenuat\$3 with (photogrey)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/17 23:35
S55	14	"3743385".pn. "4355893".pn. "4453806".pn. "4902127".pn. "5060304".pn. "5181211".pn. "5383200".pn. "5451765".pn. "5685636".pn. "5726786".pn. "5745515".pn. "5777768".pn. "6014236".pn. "6049593".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/17 23:37
S56	69	(photodiode or (photo adj diode)) and (("on" and "off") or (enabe and disable)) and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/19 14:00

EAST Search History

S57	0	(photodiode or (photo adj diode)) and ("on" and "off") or (enabe and disable)) same theshold and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/19 14:00
S58	3	(photodiode or (photo adj diode)) and ("on" and "off") or (enabe and disable)) same threshold and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/19 14:02
S59	1993	(photodiode or (photo adj diode)) and ("on" or "off") or (enabe or disable)) same threshold and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/19 14:03
S60	1636	(photodiode or (photo adj diode)) and attenuat\$3 and ("on" or "off") or (enabe or disable)) and threshold and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/19 14:20
S61	14	(photodiode or (photo adj diode)) and attenuat\$3 and ("on" and "off") or (enabe and disable)) and threshold and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/19 14:05
S62	138944	(photodiode or (photo adj diode)) and attenuat\$3same ("on" or "off") or (enabe or disable)) and threshold and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/19 14:10
S63	299	(photodiode or (photo adj diode)) and attenuat\$3 same ("on" or "off") or (enabe or disable)) and threshold and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/19 14:11
S64	52	(photodiode or (photo adj diode)) and attenuat\$3 same ("on" or "off") or (enabe or disable)) same threshold and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/19 14:12
S65	1154	(photodiode or (photo adj diode)) and attenuat\$3 and ("on" or "off") or (enabe or disable)) and (threshold referen\$3) and bias and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/19 14:20
S66	1018	(photodiode or (photo adj diode)) and attenuat\$3 and ("on" or "off") or (enabe or disable)) and (threshold referen\$3) and bias and power and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/19 14:23
S67	178	(photodiode or (photo adj diode)) and (attenuat\$3 same ("on" or "off") or (enabe or disable))) and (threshold referen\$3) and bias and power and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/19 14:23

EAST Search History

S68	85	(photodiode or (photo adj diode)) and (attenuat\$3 with (("on" or "off") or (enabe or disable))) and (threshold referen\$3) and bias and power and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/19 14:25
S69	9	(photodiode or (photo adj diode)) same (attenuat\$3 with (("on" or "off") or (enabe or disable))) and (threshold referen\$3) and bias and power and @ad<"20010123"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/19 14:25
S70	204	398/120-123.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/11/12 19:45
S71	34	398/206-207.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/21 15:15
S72	349	370/317-318.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/21 15:17
S73	1471	455/501-506.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/21 15:18